


# J3 Hood Mount Light Bar Mounting Brackets

For 1997-2006 Wrangler TJ Vehicles: #97109.2002



## PARTS LIST:

Hood Light Mounting Brackets - QTY 2  
T40 Torx Head Bolts & Washers - QTY 6  
\*Hardware included with J3 lightbar.

## REQUIRED TOOLS:

Safety Glasses  
5mm Hex/Allen Key  
T40 Torx Bit/Socket  
Ratchet Driver & Extension


**CAUTION**

**READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS BEFORE ATTEMPTING TO INSTALL THIS PRODUCT. ALWAYS WEAR SAFETY GLASSES DURING INSTALL.**



**The Trusted Source**

**Bracket Installation:**



*Put on Safety Glasses. With the hood securely latched in place, locate the three T40 Torx bolts on both hood hinges and remove them using a T40*



*Torx bit and ratchet. (it may be necessary to score the paint around the bolts using a razor blade to prevent paint chipping.)*



*With the Factory bolts removed install the Driver and Passenger brackets as shown with the supplied M8 T40 Torx*



*bolts and nylon washers. Snug but do not fully tighten the bolts using a T40 Torx bit or key.*



**The Trusted Source**

### Lightbar Installation:



*After loosely installing, carefully check to make sure the light bar fits snugly between the two brackets. You may need to make some minor adjustments. Fully tighten the T40 fasteners before installing the light bar.*



*While supporting the light bar parallel to the hood install the 6mm socket headed screw, lock washer and flat washer through the hole in the bracket and thread it into the light bar. Install another 6mm screw, lock washer, and flat washer into the slot on the bracket. Continue to support the bar and repeat on the opposite side. Snug the cap screws with a 5mm hex key but do not fully tighten at this time.*



*Route wires as needed. Please refer to the light bar and harness instructions provided with those components. The slots on both brackets can be used to secure the wires using the supplied zip ties.*



*Adjust the light bar to the desired angle and then fully tighten all 4 socket headed screws with a 5 mm hex key.*

*J3 Lightbar installation is complete.*



**The Trusted Source**

# Quadratec® Exclusive Three Year Limited Warranty

Your Quadratec® branded accessories are covered by the following **Limited Warranty** provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**. This **Limited Warranty** does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants to the initial retail purchaser only that your Quadratec accessory shall be free of defects in material and workmanship: **for a period of three (3) years from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**What is Not Covered:**  
Your Quadratec **Limited Warranty** does not cover products or parts Quadratec determines to have been damaged by or subjected to:

(a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:**  
**The exclusive remedy provided hereunder shall, upon Quadratec inspection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.** Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

#### **Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadratec, Inc. 2018. All Rights Reserved.  
1.11.18 A4 Version

Part # 12999.3093



**The Trusted Source**