

# LED 3rd Brake Light Ring with Y Adapter

For 2007 - 2018 JK & JKU Wrangler Vehicles: #12052.0904



#### PARTS LIST:

LED 3rd Brake Light Ring - QTY 1  
"Y" Adapter Wiring Harness - QTY 1

#### REQUIRED TOOLS:

Safety Glasses  
Lug Wrench & Socket  
T20 Torx Driver or Bit

#### **CAUTION**

READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS BEFORE ATTEMPTING TO INSTALL THIS PRODUCT. ALWAYS WEAR SAFETY GLASSES DURING INSTALL.

**Quadraterc**  
The Jeep Experts

**A Few Words About Product Safety:**

Your LED 3rd Brake Light is designed to enhance the utility and enjoyment of your off road capable vehicle. Before installation, please take a moment to review the following safety information

and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury.

The signal words mean:

<b>⚠ WARNING ⚠</b>	<b>A hazardous situation which, if not avoided, could result in death or serious injury. You CAN be KILLED or SERIOUSLY HURT if you don't follow instructions.</b>
<b>⚠ CAUTION ⚠</b>	<b>A hazardous situation which, if not avoided, could result in minor or moderate injury. You CAN be moderately HURT and also may suffer property damage if you don't follow instructions.</b>
<b>NOTICE</b>	<b>Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your Quadratec® product or other property may result if you don't follow instructions.</b>

**Before You Begin Installation:**

Congratulations on your purchase of the Quadratec LED 3rd Brake Light Ring for your Jeep® Wrangler.

to shipping. If any part is missing or broken, please call Customer Service at 800-745-6037 as soon as possible.

When unpacking, check to make sure all parts are included and not damaged due

Thank you again for your purchase and let's start the installation process.

<b>⚠ CAUTION ⚠</b>	<b>WHEN ROUTING ELECTRICAL WIRES, ALWAYS AVOID PINCHING WIRES. ALWAYS AVOID HOT OR MOVING COMPONENTS. ALWAYS SECURE WIRES WITH CABLE TIES.</b>
--------------------	--

<b>⚠ CAUTION ⚠</b>	<b>THIS PRODUCT IS INTENDED TO BE USE IN CONJUNCTION WITH YOUR VEHICLE'S FACTORY CENTER HIGH MOUNTED 3RD BRAKE LIGHT. NOT TO BE USED BY ITSELF OR AS A REPLACEMENT.</b>
--------------------	---



**Installation Instructions:**



*Put on safety glasses. Remove the lug nuts that secure the spare tire using lug wrench and correct socket (factory lug nuts use 3/4" socket). Carefully remove*



*the spare tire. Pass the connector and harness from the third brake light ring behind the spare tire carrier and out the top.*



*Place the third brake light ring over the studs on the tire carrier as shown with the attached harness located at the bottom of the ring. You may temporary secure the brake light ring by finger tightening one of the lug nuts on to the tire carrier studs.*



*Open the tailgate of the vehicle and locate the 4 T20 screws on the backside of the factory 3rd brake light housing. Remove the 4 screws with a T20 torx driver.*


**Installation Instructions:**



*Remove factory brake light from the housing and unplug the factory connector from the back of the brake light.*



*Plug the supplied "Y" harness into the factory harness as shown. Make sure the connectors fully engage & lock together.*



*Now plug one end of the "Y" harness into the back of the factory brake light. Once again make sure the connectors fully engage and lock together.*



*Route and secure the "Y" harness into the channel on the backside of the brake light. Use the same routing and securing clips that the factory harness used. Connect the other end of the "Y" harness to the brake light ring harness.*

**⚠ CAUTION ⚠**

**WHEN ROUTING ELECTRICAL WIRES, ALWAYS AVOID PINCHING WIRES. ALWAYS AVOID HOT OR MOVING COMPONENTS. ALWAYS SECURE WIRES WITH CABLE TIES.**

**Installation Instructions:**



*Reinstall the factory brake light into the tire carrier housing. Be careful not to pinch any of the wires while reinstalling. Reinstall the 4 T20 screws with a Torx driver.*



*Close the tailgate and reinstall the spare tire and secure it with the 3 lug nuts. Tighten by hand and do not use an impact gun. This could overtighten the lug nuts and damage the 3rd brake light ring.*

*Check brake lights for proper operation before driving the vehicle.*



# Quadratec® Exclusive Three Year Limited Warranty

Your Quadratec® branded accessories are covered by the following **Limited Warranty** provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**. This **Limited Warranty** does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants to the initial retail purchaser only that your Quadratec accessory shall be free of defects in material and workmanship: **for a period of three (3) years from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**What is Not Covered:**

Your Quadratec **Limited Warranty** does not cover products or parts Quadratec determines to have been damaged by or subjected to:

(a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:**

**The exclusive remedy provided hereunder shall, upon Quadratec inspection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.** Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

**Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadratec, Inc. 2020. All Rights Reserved.  
6.12.20 A4 Version

Part #12999.3095

